Div.
-9.
SIGN
ISION

MIRRO

1925

# PURE ALUMINUM WARE

*Catalog No. 35*

RETURN TO
DESIGN DIV.
G 3
PATENT OFFICE
DEC 22 1948
DESIGN DIVISION
1925
U. S. PATENT OFF.

ALUMINUM GOODS MANUFACTURING CO.
MANITOWOC, WIS., U.S.A.



TX
656
A47
No.35

Des. Div.
TX
656
.A47
no. 35

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

RETURN TO
DESIGN DIV.

## Branch Offices and Factories

*Branch Sales Offices*

Cl RK
Conw Building

NCISCO
Fifth uilding

Ur versal
Be roved

Pl Wis.
Pl Wis.
Plant No. 4 - - - - Two Rivers, Wis.

2—564
SCIENTIFIC LIBRARY
UNITED STATES PATENT OFFICE
CASE SHELF
GOVERNMENT PRINTING OFFICE 11—8625

Copyright, 1925
Aluminum Goods Manufacturing Company

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

LIBRARY
MAR 9 1926
U. S. PATENT OFFICE

# The Jobber's Best Line of Pure Aluminum

"ALUMINUM GOODS" Pure Aluminum sets the standard of what the jobber has a right to expect in a pure aluminum line—a line offering the best possible values; a line so salable in the dealer's store that the jobber handling it can keep on selling the same dealers year after year.

"Aluminum Goods" Pure Aluminum is built to hold business. It is substantial merchandise, soundly made of a good thickness of hard metal. When compared with the thin, flimsy aluminum which is commonly offered, the superiority of "Aluminum Goods" Pure Aluminum can not be overlooked.

Study carefully the showing of Pure Aluminum merchandise which this catalog presents. You will find all your requirements satisfied—complete selection and range of sizes—quality in which you can always place utmost confidence—prices which reflect the efficiency and economy of the world's largest manufacturers of aluminum wares.

Then you will see why "Aluminum Goods" Pure Aluminum is the pure aluminum line for you.

The dealer selling this line can satisfy his customers with exceptional value. That makes him a better dealer, for he is doing business on a basis that builds good will. And, by the same token, it makes him a better customer for the jobber.

In order to make this line an even better proposition both for jobber and dealer, selling helps of various kinds are generously supplied—circulars for jobbers to send to their trade; posters and window display material for dealers. The following pages show some of the dealer's helps.



## FREE POSTERS FOR DEALERS

*They Move the Goods and Bring You the Reorders*

BIG, fine posters in smashing color effects are furnished without charge for enclosure with shipments of Pure Aluminum. More business for Mr. Dealer—more business for Mr. Jobber!

Henry-Des Div
PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Window Displays to Get the Crowds

MATERIALS for making business-drawing windows are part of the service which the Pure Aluminum jobber can offer to his dealers, free of charge.

EVERY little while new window material is available—up-to-the-minute, seasonable stuff. The designs shown here are merely representative of the high general quality of this material.



ELECTROTYPES of items in the "Aluminum Goods" Pure Aluminum line are furnished free of charge. These electrotypes are available in two sizes, as illustrated opposite, and should be requested by catalog number with the specifications "large" or "small."

## Tea Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7033-L** | 21 | 3 | 7¼ | One in a carton; half dozen in a shipping container. 10¼ lbs. |
| **7034-L** | 21 | 4 | 8 | " 12½ lbs. |
| **7035-L** | 21 | 5 | 8⅝ | " 13 lbs. |
| **7036½-L** | 20 | 6½ | 9½ | " 16½ lbs. |

Polish finish. Easily filled through welded spout. Cool, ebonized, wood knob with sunken rivet. Bail-rest ears. Wide, quick-heating bottom. Sturdy rivets. Imprinted Pure Aluminum and tagged.

Pat. Aug. 14, 1917

## Colonial Tea Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7623-L** | 21 | 3 | 7¼ | One in a carton; half dozen in a shipping container. 10¼ lbs. |
| **7624-L** | 21 | 4 | 8 | " 12 lbs. |
| **7625-L** | 21 | 5 | 8⅝ | " 13 lbs. |
| **7626½-L** | 20 | 6½ | 9½ | " 16½ lbs. |

Polish finish. Easily filled through welded spout. Cool, ebonized, wood knob with sunken rivet. Bail-rest ears. Wide, quick-heating bottom. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

PATENT OFFICE

## Tea Kettle with Inset

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7333-L** | | | | One in a carton; half dozen in a shipping container. 13¼ lbs. |
| (Inset) | 20 | 1 | 4⅛ | |
| (Kettle) | 21 | 3 | 7¼ | |
| **7334-L** | | | | " 17 lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 21 | 4 | 8 | |
| **7335-L** | | | | " 19 lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 21 | 5 | 8⅝ | |
| **7336½-L** | | | | " 19½ lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 20 | 6½ | 9½ | |

Polish finish. Inset of No. 7333-L, inside Sun-ray finish. Easily filled through welded spout. Cool, ebonized, wood knob with sunken rivet. Bail-rest ears. Wide, quick-heating bottom. Sturdy rivets. Inset has sturdy, rust-proof handle. Imprinted Pure Aluminum and tagged.

Pat. Aug. 14, 1917

## Colonial Tea Kettle with Inset

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7733-L** | | | | One in a carton; half dozen in a shipping container. 13¼ lbs. |
| (Inset) | 20 | 1 | 4⅛ | |
| (Kettle) | 21 | 3 | 7¼ | |
| **7734-L** | | | | " 17 lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 21 | 4 | 8 | |
| **7735-L** | | | | " 19 lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 21 | 5 | 8⅝ | |
| **7736½-L** | | | | " 19½ lbs. |
| (Inset) | 20 | 2 | 4¾ | |
| (Kettle) | 20 | 6½ | 9½ | |

Polish finish. Inset of No. 7733-L, inside Sun-ray finish. Easily filled through welded spout. Cool, ebonized, wood knob with sunken rivet. Bail-rest ears. Wide, quick-heating bottom. Sturdy rivets. Inset has sturdy, rust-proof handle. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.



PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **1091½-L** | | | | One dozen in a shipping container. |
| (Inset) | 22 | 1½ | 5⅜ | |
| (Outside) | 22 | 2 | 5⅜ | 14¼ lbs. |
| **1092-L** | | | | " 17 lbs. |
| (Inset) | 22 | 2 | 5½ | |
| (Outside) | 22 | 2¾ | 5½ | |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Cool, hollow, rust-proof handles. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Colonial Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **1191½-L** | | | | One dozen in a shipping container. |
| (Inset) | 22 | 1½ | 5⅜ | |
| (Outside) | 22 | 2 | 5⅜ | 14¼ lbs. |
| **1192-L** | | | | " 17 lbs. |
| (Inset) | 22 | 2 | 5½ | |
| (Outside) | 22 | 2¾ | 5½ | |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Cool, hollow, rust-proof handles. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

LIBRARY
MAR 9 1926
U. S. PATENT OFFICE

## Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7121½-L** | | | | One dozen in a shipping container. |
| (Inset) | 22 | 1½ | 4⅝ | |
| (Outside) | 22 | 2 | 6 | 19 lbs. |
| **7122-L** | | | | " 23 lbs. |
| (Inset) | 22 | 2 | 5⅜ | |
| (Outside) | 20 | 3 | 6⅞ | |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Sturdy, rust-proof handles. Extra large bottom vessel to avoid cooking dry. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Colonial Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7601½-L** | | | | One dozen in a shipping container. 19 lbs. |
| (Inset) | 22 | 1½ | 4⅝ | |
| (Outside) | 22 | 2 | 6 | " 23 lbs. |
| **7602-L** | | | | |
| (Inset) | 22 | 2 | 5⅜ | |
| (Outside) | 20 | 3 | 6⅞ | |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Sturdy, rust-proof handles. Extra large bottom vessel to avoid cooking dry. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

Pat. July 16, 1912

## Coffee Percolator

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5231-L** | 24 | 1 | 4 | One in a carton; one dozen in a shipping container. 11½ lbs. |
| **5231½-L** | 22 | 1½ | 4½ | " 16 lbs. |
| **5232-L** | 22 | 2 | 4¾ | " 17 lbs. |
| **5233-L** | 21 | 3 | 5⅜ | " 23 lbs. |

Polish finish. Clinched spout. Replaceable handle. Rust-proof hinge. Sturdy rivets. Substantially constructed percolating inset. Imprinted Pure Aluminum.

Pat. July 16, 1912

## Colonial Coffee Percolator

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5431-L** | 24 | 1 | 4 | One in a carton; one dozen in a shipping container. 11½ lbs. |
| **5431½-L** | 22 | 1½ | 4½ | " 16 lbs. |
| **5432-L** | 22 | 2 | 4¾ | " 17 lbs. |
| **5433-L** | 21 | 3 | 5⅜ | " 23 lbs. |

Polish finish. Clinched spout. Replaceable handle. Rust-proof hinges. Sturdy rivets. Substantially constructed percolating inset. Colonial angles give added strength and beauty. Imprinted Pure Aluminum.

Pat. July 16, 1912

## Coffee Percolator

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5561-L** | 24 | 1 | 4 | One in a carton; one dozen in a shipping container. 11½ lbs. |
| **5561½-L** | 22 | 1½ | 4½ | " 16 lbs. |
| **5562-L** | 22 | 2 | 4¾ | " 17 lbs. |
| **5563-L** | 21 | 3 | 5⅜ | " 23 lbs. |

Polish finish. Clinched spout. Replaceable handle with flame guard. Rust-proof hinge. Sturdy rivets. Substantially constructed percolating inset with spreader plate. Imprinted Pure Aluminum.

Pat. July 16, 1912

## Colonial Coffee Percolator

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5861-L** | 24 | 1 | 4 | One in a carton; one dozen in a shipping container. 11½ lbs. |
| **5861½-L** | 22 | 1½ | 4½ | " 16 lbs. |
| **5862-L** | 22 | 2 | 4¾ | " 17 lbs. |
| **5863-L** | 21 | 3 | 5⅜ | " 23 lbs. |

Polish finish. Clinched spout. Replaceable handle with flame guard. Rust-proof hinge. Sturdy rivets. Substantially constructed percolating inset with spreader plate. Colonial angles give added strength and beauty. Imprinted Pure Aluminum.

Pat. July 16, 1912

## Coffee Pot

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7202-L** | 22 | 2 | 5⅜ | One in a carton; one dozen in a shipping container. 13 lbs. |

Polish finish. Clinched spout. Replaceable handle. Rust-proof hinge. Sturdy rivets. Imprinted Pure Aluminum.

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

Pat. July 16, 1912
Pat. Aug. 14, 1917

## Colonial Coffee Pot

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7702-L** | 22 | 2 | 5⅜ | One in a carton; one dozen in a shipping container. 13 lbs. |

Polish finish. Clinched spout. Replaceable handle. Rust-proof hinge. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum.

Pat. July 16, 1912

## Coffee Biggin

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing |
|---|---|---|---|---|
| **7272-L** | | | | One in a carton. |
| (Pot) | 22 | 2 | 5⅜ | |
| (Biggin) | 20 | | 3⅝ | |

Polish finish. Clinched spout. Replaceable handle. Sturdy rivets. Substantially constructed inset with spreader plate. Cover fits both upper and lower vessel. Fine perforations in biggin portion allow water to extract flavor from coffee grounds before liquid is allowed to drip through. Imprinted Pure Aluminum.



## Lipped Sauce Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7041-L** | 22 | 1 | 6 | Two dozen in a shipping container. 10¾ lbs. |
| **7041½-L** | 22 | 1½ | 6⅞ | " 13 lbs. |
| **7042-L** | 22 | 2 | 7⅝ | " 16¾ lbs. |
| **7043-L** | 20 | 3 | 8⅜ | " 24¾ lbs. |
| **7044-L** | 20 | 4 | 9⅛ | " 30 lbs. |
| **7045-L** | 20 | 5 | 10 | One dozen in a shipping container. 17½ lbs. |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Lipped Stew Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing |
|---|---|---|---|---|
| **7241-L** | 22 | 1 | 7 | In bulk |
| **7241½-L** | 22 | 1½ | 7⅞ | " |
| **7242-L** | 22 | 2 | 8½ | " |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.



Pat. May 18, 1920

## Colonial Lipped Sauce Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7741-L** | 22 | 1 | 6 | Two dozen in a shipping container. 10¾ lbs. |
| **7741½-L** | 22 | 1½ | 6⅞ | " 13 lbs. |
| **7742-L** | 22 | 2 | 7⅝ | " 16¾ lbs. |
| **7743-L** | 20 | 3 | 8⅜ | " 24¾ lbs. |
| **7744-L** | 20 | 4 | 9⅛ | " 30 lbs. |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handle. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Lipped Sauce Pan Set

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7047-L** | 22 | 1 | 6 | One dozen sets in a shipping container. 16¼ lbs. |
| | 22 | 1½ | 6⅞ | |
| | 22 | 2 | 7⅝ | |
| **7048-L** | 22 | 1 | 6 | In bulk. |
| | 22 | 2 | 7⅝ | |
| | 20 | 3 | 8⅜ | |
| **7049-L** | 22 | 1½ | 6⅞ | " |
| | 22 | 2 | 7⅝ | |
| | 20 | 3 | 8⅜ | |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handles. Sturdy rivets. Each pan imprinted Pure Aluminum and tagged.



## Lipped Stew Pan Set

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7247-L** | 22 | 1 | 7 | One dozen sets in a shipping container. 17 lbs. |
| | 22 | 1½ | 7⅞ | |
| | 22 | 2 | 8½ | |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handles. Sturdy rivets. Each pan imprinted Pure Aluminum and tagged.

## Convex Sauce Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7081-L** | 22 | 1 | 5⅝ | One dozen in a shipping container. 7¼ lbs. |
| **7082-L** | 22 | 2 | 7 | " 10½ lbs. |
| **7083-L** | 20 | 3 | 7⅞ | " 14½ lbs. |
| **7084-L** | 20 | 4 | 8⅝ | " 18¼ lbs. |
| **7086-L** | 20 | 6 | 10 | " 22½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Sturdy, rust-proof handle. Sturdy rivets. Bead upturned on cover. Imprinted Pure Aluminum and tagged.

Pat. June 17, 1919

## Colonial Convex Sauce Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7782-L** | 22 | 2 | 7 | One dozen in a shipping container. 10½ lbs. |
| **7783-L** | 20 | 3 | 7⅞ | " 14½ lbs. |
| **7784-L** | 20 | 4 | 8⅝ | " 18¼ lbs. |
| **7786-L** | 20 | 6 | 10 | " 22½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Sturdy, rust-proof handle. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Convex Sauce Pot

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7252-L** | 22 | 2 | 7 | One in a carton; one dozen in a shipping container. 14¼ lbs. |
| **7253-L** | 20 | 3 | 7⅞ | " 16¾ lbs. |
| **7254-L** | 20 | 4 | 8⅝ | " 18¾ lbs. |
| **7256-L** | 20 | 6 | 10 | " 24½ lbs. |
| **7258-L** | 20 | 8 | 10⅞ | One in a carton; half dozen in a shipping container. 15 lbs. |
| **7260-L** | 20 | 10 | 11½ | " 17½ lbs. |
| **7262-L** | 20 | 12 | 12 | " 18¾ lbs. |

Polish finish; inside Sun-ray finish. Inset cover prevents boiling over. Cool, ebonized, wood knob with sunken rivet. Double riveted, sturdy, rust-proof handles. Bead upturned on cover. Sturdy rivets. Imprinted Pure Aluminum and tagged.

Pat. May 13, 1919

## Colonial Convex Sauce Pot

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7952-L** | 22 | 2 | 7 | One in a carton; one dozen in a shipping container. 14¼ lbs. |
| **7953-L** | 20 | 3 | 7⅞ | " 16¾ lbs. |
| **7954-L** | 20 | 4 | 8⅝ | " 18¾ lbs. |
| **7956-L** | 20 | 6 | 10 | " 24½ lbs. |
| **7958-L** | 20 | 8 | 10⅞ | One in a carton; half dozen in a shipping container. 15 lbs. |
| **7960-L** | 20 | 10 | 11½ | " 17½ lbs. |

Polish finish; inside Sun-ray finish. Inset cover prevents boiling over. Cool, ebonized, wood knob with sunken rivet. Double riveted, sturdy, rust-proof handles. Bead upturned on cover. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.



PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Lipped Cooking and Preserving Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7054-L** | 20 | 4 | 9⅛ | One dozen in a shipping container. 15½ lbs. |
| **7056-L** | 20 | 6 | 10 | " 20 lbs. |
| **7058-L** | 20 | 8 | 11 | Half dozen in a shipping container. 12¾ lbs. |
| **7060-L** | 20 | 10 | 12⅛ | " 13¾ lbs. |
| **7062-L** | 20 | 12 | 13⅛ | " 16¾ lbs. |

Polish finish; inside Sun-ray finish. Bail-rest ears. Tilting handle with hole for hanging. Sturdy rivets. Imprinted Pure Aluminum and tagged.

Pat. June 15, 1920

## Colonial Lipped Cooking and Preserving Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7754-L** | 20 | 4 | 9⅛ | One dozen in a shipping container. 15½ lbs. |
| **7756-L** | 20 | 6 | 10 | " 20 lbs. |
| **7758-L** | 20 | 8 | 11 | Half dozen in a shipping container. 13 lbs. |
| **7760-L** | 20 | 10 | 12⅛ | " 13¾ lbs. |

Polish finish; inside Sun-ray finish. Bail-rest ears. Tilting handle with hole for hanging. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Convex Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7093-L** | 20 | 3 | 7⅞ | One in a carton; one dozen in a shipping container. 17 lbs. |
| **7094-L** | 20 | 4 | 8⅝ | " 20 lbs. |
| **7096-L** | 20 | 6 | 10 | " 26 lbs. |
| **7098-L** | 20 | 8 | 10⅞ | One in a carton; half dozen in a shipping container. 15½ lbs. |
| **7100-L** | 20 | 10 | 11½ | " 18½ lbs. |
| **7102-L** | 20 | 12 | 12 | " 20 lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Imprinted Pure Aluminum and tagged.

Pat. May 13, 1919

## Colonial Convex Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7793-L** | 20 | 3 | 7⅞ | One in a carton; one dozen in a shipping container. 17 lbs. |
| **7794-L** | 20 | 4 | 8⅝ | " 20 lbs. |
| **7796-L** | 20 | 6 | 10 | " 26 lbs. |
| **7798-L** | 20 | 8 | 10⅞ | One in a carton; half dozen in a shipping container. 15½ lbs. |
| **7800-L** | 20 | 10 | 11½ | " 18½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Cover

| No. | Diameter In. | B. & S. Gauge | Packing |
|---|---|---|---|
| **5505-L** | 5⅞, 6¼, 6⅞, 7¾, 8, 8½, 9, 9½, 10⅛, 10½, 11, 11½, and 12 | 26<br>24 | Half dozen of each size in a package. |

Bright natural finish. Size and Pure Aluminum imprinted on each cover.

Pat. May 13, 1919

## Colonial Convex Kettle with Colonial Dome Cover

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5966-L** | 20 | 6 | 10 | One in a carton; one dozen in a shipping container. 27 lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Four Piece Combination Cooker

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5465-L** | | | | One in a carton; one dozen in a shipping container. 35½ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 24 | | 9½ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.



## Cover Assortment

| No. | | B. & S. Gauge | Packing |
|---|---|---|---|
| **5507-L** | Consists of the following No. 5505-L Covers:<br>3 each: 6¼", 6⅞", 7¾", 8½", 9½" and 10½" | 26<br>24 | One assortment in a package. |
| **5509-L** | Consists of the following No. 5505-L Covers:<br>3 each: 8", 9", 10⅛", 11", 11½" and 12" | 26<br>24 | " |

Bright natural finish. Sturdy, rust-proof folding display rack furnished with each assortment. Size and Pure Aluminum imprinted on each cover.

Pat. May 13, 1919

## Colonial Four Piece Combination Cooker

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5471-L** | | | | One in a carton; one dozen in a shipping container. 35½ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 24 | | 9½ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.





PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Five Piece Combination Cooker

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5464-L** | | | | One in a carton; one dozen in a shipping container. 37½ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 24 | | 9½ | |
| (Tubed Inset) | 26 | | 7¼ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.



Pat. May 13, 1919

## Colonial Five Piece Combination Cooker

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5470-L** | | | | One in a carton; one dozen in a shipping container. 37½ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 24 | | 9½ | |
| (Tubed Inset) | 26 | | 7¼ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.

Pat. May 13, 1919

## Colonial Four Piece Combination Cooker with Colonial Dome Cover

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5971-L** | | | | One in a carton; one dozen in a shipping container. 35¾ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 22 | | 9½ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.



Pat. May 13, 1919

## Colonial Five Piece Combination Cooker with Colonial Dome Cover

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5970-L** | | | | One in a carton; one dozen in a shipping container. 37¾ lbs. |
| (Kettle) | 20 | 6 | 10 | |
| (Pans) | 22 | 2½ | 9½ | |
| (Cover) | 22 | | 9½ | |
| (Tubed Inset) | 26 | | 7¼ | |

Polish finish; inside Sun-ray finish. Bail of inside pan detachable. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Circular illustrating various uses enclosed with each cooker. Imprinted Pure Aluminum and tagged.



## Strainer Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5856-L** | 20 | 6 | 10 | One in a carton; one dozen in a shipping container. 24½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Sturdy, rust-proof handle. Sturdy rivets. Clamp holds cover when draining. Bead upturned on cover. Imprinted Pure Aluminum and tagged.

Pat. June 17, 1919

## Colonial Strainer Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5876-L** | 20 | 6 | 10 | One dozen in a shipping container. 24½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Sturdy, rust-proof handle. Sturdy rivets. Clamp holds cover when draining. Bead upturned on cover. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Strainer Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5656-L** | 20 | 6 | 10 | One in a carton; one dozen in a shipping container. 27 lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Tilter clamp holds cover when draining. Bead upturned on cover. Sturdy rivets. Imprinted Pure Aluminum and tagged.

Pat. May 13, 1919

## Colonial Strainer Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5653-L** | 20 | 6 | 10 | One in a carton; one dozen in a shipping container. 27 lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Tilter clamp holds cover when draining. Bead upturned on cover. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Windsor Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5545-L** | 20 | 5 | 9⅝ | One in a carton; half dozen in a shipping container. 15½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Bail-rest ears. Tilting handle with hole for hanging. Sturdy rivets. Bead upturned on cover. Imprinted Pure Aluminum and tagged.

## Oval Roaster

| No. | B. & S. Gauge | Dimensions In. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7456-L** | 21 | 8¾x14¼ | 6 | One in a carton; half dozen in a shipping container. 14 lbs. |
| **7457-L** | 20 | 10 x15⅝ | 6¾ | " 17¾ lbs. |
| **7458-L** | 20 | 11¼x17¼ | 6½ | " 22 lbs. |

Polish finish. Sturdy, rust-proof handles. Sturdy rivets. Specially constructed bottom with gravy dip prevents burning. Imprinted Pure Aluminum and tagged.



PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Double Roaster

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5000-L** (Each Pan) | 24 | 10¼ | 2⅜ | One in a carton; one dozen in a shipping container. 22 lbs. |
| **5010-L** (Upper Pan) | 24 | 10¼ | 2⅜ | One dozen in a shipping container. 14½ lbs. |
| (Lower Pan) | 23 | 10¼ | 3 | " 14½ lbs. |
| **5020-L** (Each Pan) | 23 | 10¼ | 3 | |

Polish finish. Sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.

## Colonial Double Roaster

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5720-L** (Each Pan) | 23 | 10¼ | 3 | One dozen in a shipping container. 14½ lbs. |

Polish finish. Sturdy, rust-proof handles. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Round Roaster

| No. | B. & S. Gauge | Diam. In. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7358-L** | 22 | 11½ | 5¾ | One in a carton; half dozen in a shipping container. 13½ lbs. |

Polish finish. Sturdy, rust-proof handles. Specially constructed, self-basting cover. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Round Roaster

| No. | B. & S. Gauge | Diam. In. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5358-L** | 22 | 11½ | 5¾ | One in a carton; half dozen in a shipping container. 13½ lbs. |

Polish finish. Sturdy, rust-proof handles. Specially constructed, self-basting cover has steam vent. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Round Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5354-L** (Upper Pan) | 23 | 9⅞ | 2⅜ | One in a carton; one dozen in a shipping container. 21¼ lbs. |
| (Lower Pan) | 23 | 10⅜ | 3¾ | |

Polish finish. Sturdy, rust-proof handles. Self-basting cover. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Three Piece Combination Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5352-L** (Outside Pan) | 23 | 10⅜ | 3¾ | One in a carton; one dozen in a shipping container. 24 lbs. |
| (Inside Pan) | 23 | 9⅞ | 2⅜ | |
| (Cover) | 24 | 9⅞ | | |

Polish finish. Bead upturned on cover. Sturdy, rust-proof handles. Cover has steam vent. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Nine Piece Combination Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5351-L** | | | | One in a carton; one dozen in a shipping container. 29¼ lbs. |
| (Outside Pan) | 23 | 10⅜ | 3¾ | |
| (Inside Pan) | 23 | 9⅞ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| (Cover) | 24 | 10 | | |

Outside pan, inside pan and cover polish finish; custard cups and cup tray bright natural finish. Sturdy, rust-proof handles. Cover has steam vent. Sturdy rivets. Imprinted Pure Aluminum and tagged.



## Nine Piece Combination Double Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5012-L** | | | | One in a carton; one dozen in a shipping container. 29½ lbs. |
| (Upper Pan) | 24 | 10¼ | 2⅜ | |
| (Lower Pan) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| **5022-L** | | | | " 30½ lbs. |
| (Outside Pans) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |

Outside pans polish finish; inside pan, custard cups and cup tray bright natural finish. Sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.

## Ten Piece Combination Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5353-L** | | | | One in a carton; one dozen in a shipping container. 30½ lbs. |
| (Outside Pan) | 23 | 10⅜ | 3¾ | |
| (Inside Pan) | 23 | 9⅞ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| (Disc) | 26 | 9 | | |
| (Cover) | 24 | 10 | | |

Outside pan, inside pan and cover polish finish; custard cups, cup tray and disc bright natural finish. Sturdy, rust-proof handles. Cover has steam vent. Sturdy rivets. Imprinted Pure Aluminum and tagged.



## Colonial Nine Piece Combination Double Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5722-L** | | | | One in a carton; one dozen in a shipping container. 30½ lbs. |
| (Outside Pans) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |

Outside pans polish finish; inside pan, custard cups and cup tray bright natural finish. Sturdy rust-proof handles. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.





## Ten Piece Combination Double Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5013-L** | | | | One in a carton; one dozen in a shipping container. 30½ lbs. |
| (Upper Pan) | 24 | 10¼ | 2⅜ | |
| (Lower Pan) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| (Disc) | 26 | 9 | | |
| **5023-L** | | | | " 31½ lbs. |
| (Outside Pans) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| (Disc) | 26 | 9 | | |

Outside pans polish finish; inside pan, custard cups, cup tray and disc bright natural finish. Disc converts tray into layer cake pan. Sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.



## Colonial Ten Piece Combination Double Roaster

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **5723-L** | | | | One in a carton; one dozen in a shipping container. 31½ lbs. |
| (Outside Pans) | 23 | 10¼ | 3 | |
| (Inside Pan) | 24 | 8¼ | 2⅜ | |
| (Custard Cups) | 26 | 2⅞ | 1⅜ | |
| (Cup Tray) | 24 | 10 | ⅞ | |
| (Disc) | 26 | 9 | | |

Outside pans polish finish; inside pan, custard cups, cup tray and disc bright natural finish. Disc converts tray into layer cake pan. Sturdy, rust-proof handles. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Dinner Pail

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7767-L** | | | | One in a carton; half dozen in a shipping container 14¼ lbs. |
| (Inset) | 22 | 3 | 7¼ | |
| (Lower Pail) | 22 | 4½ | 7¾ | |

Polish finish. Bail-rest ears. Sturdy rivets. Slip-over cover to keep dirt and rain out. Imprinted Pure Aluminum and tagged.

## Dinner Pail with Tray

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7777-L** | | | | One in a carton; half dozen in a shipping container. 15¼ lbs. |
| (Inset) | 22 | 3 | 7¼ | |
| (Lower Pail) | 22 | 4½ | 7¾ | |
| (Tray) | 24 | | 7¼ | |

Polish finish; tray bright natural finish. Bail-rest ears. Sturdy rivets. Slip-over cover to keep dirt and rain out. Imprinted Pure Aluminum and tagged.



## Dairy Pail

| No. | B. & S. Gauge | Cap. Qts. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7808-L** | 21 | 8 | 7⅝ | One dozen in a shipping container. 20¼ lbs. |
| **7810-L** | 21 | 10 | 8¼ | " 22 lbs. |
| **7812-L** | 21 | 12 | 8⅞ | " 24 lbs. |

Polish finish; inside Sun-ray finish. Bail-rest ears. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Milk Pail

| No. | B. & S. Gauge | Cap. Qts. | Depth In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7671-L** | 23 | 1 | 5¾ | One in a carton. |
| **7672-L** | 23 | 2 | 7⅛ | One in a carton; one dozen in a shipping container. 11¾ lbs. |

Polish finish. Sturdy rivets. Bail-rest ears. Imprinted Pure Aluminum and tagged.

## Fry Pan with Cover

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing |
|---|---|---|---|---|
| **5511-L** | 18 | 10¼ | 1½ | In bulk. |

Polish finish; pan Sun-ray finish inside. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Combination Poacher, Steamer and Fry Pan

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing |
|---|---|---|---|---|
| **2542-L** (Pan) | 18 | 10¼ | 1½ | In bulk. |
| (Cups) | 26 | 3¼ | 1 | |

Polish finish; pan Sun-ray finish inside. Tray and cups bright natural finish. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Fry Pan

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing |
|---|---|---|---|---|
| **5129-L** | 18 | 10¼ | 1½ | In bulk. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Lipped Fry Pan

| No. | B. & S. Gauge | Diam. In. | Depth In. | Packing |
|---|---|---|---|---|
| **5133-L** | 22 | 8⅜ | 1½ | In bulk. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Lipped Fry Pan or Skillet

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **7135-L** | 16 | 7 | 1½ | In bulk. |
| **7136-L** | 16 | 9 | 2 | " |
| **7137-L** | 14 | 10 | 2⅛ | " |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handle. Sturdy rivets. Direction tag attached to each fry pan. Imprinted Pure Aluminum and tagged.

## Water Pitcher

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3752½-L** | 22 | 2½ | 8 | One in a carton; one dozen in a shipping container. 14 lbs. |
| **3754-L** | 21 | 4 | 9½ | One in a carton; half dozen in a shipping container. 11½ lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Colonial Water Pitcher

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3772½-L** | 22 | 2½ | 8 | One in a carton; one dozen in a shipping container. 14 lbs. |
| **3774-L** | 21 | 4 | 9½ | One in a carton; half dozen in a shipping container. 11½ lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Water Pitcher—With Ice Bridge

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3762½-L** | 22 | 2½ | 8 | One in a carton; half dozen in a shipping container. 8¾ lbs. |
| **3764-L** | 21 | 4 | 9½ | " 14 lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Bridge prevents ice from flowing out with water. Imprinted Pure Aluminum and tagged.

## Colonial Water Pitcher—With Ice Bridge

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3782½-L** | 22 | 2½ | 8 | One in a carton; half dozen in a shipping container. 8¾ lbs. |
| **3784-L** | 21 | 4 | 9½ | " 14 lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Bridge prevents ice from flowing out with water. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Water Pitcher

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3452-L** | 23 | 2 | 6⅛ | One dozen in a shipping container. 8 lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Colonial Water Pitcher

| No. | B. & S. Gauge | Cap. Qts. | Height In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **3472-L** | 23 | 2 | 6⅛ | One dozen in a shipping container. 8 lbs. |

Polish finish. Sturdy, rust-proof handle. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Oval Dish Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7922-L** | 22 | 12 | 14½x18¾ | One dozen in a shipping container. 19¾ lbs. |

Polish finish. Double riveted, sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.

## Round Dish Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7610-L** | 21 | 10 | 15⅛ | One dozen in a shipping container. 18½ lbs. |
| **7614-L** | 21 | 14 | 16½ | " 26¼ lbs. |
| **7617-L** | 20 | 17 | 18¼ | " 32 lbs. |

Polish finish; inside Sun-ray finish. Double riveted, sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.

## Mixing and Handy Bowl

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing |
|---|---|---|---|---|
| **7311-L** | 22 | 1 | 6½ | In bulk. |
| **7311½-L** | 22 | 1½ | 7¼ | " |
| **7312-L** | 22 | 2 | 8 | " |
| **7313-L** | 22 | 3 | 9⅝ | " |
| **7314-L** | 22 | 4 | 10½ | " |

Polish finish; inside Sun-ray finish. Rounded edges. Imprinted Pure Aluminum.

## Pudding Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7111-L** | 22 | 1 | 7¼ | One-half gross in a shipping container. 18½ lbs. |
| **7111½-L** | 22 | 1½ | 8¼ | " 21½ lbs. |
| **7112-L** | 22 | 2 | 8⅞ | " 27 lbs. |
| **7112½-L** | 22 | 2½ | 9⅜ | " 28 lbs. |
| **7113-L** | 22 | 3 | 9¾ | " 33½ lbs. |
| **7114-L** | 22 | 4 | 11⅛ | " 42 lbs. |
| **7115-L** | 22 | 5 | 11½ | " 45½ lbs. |

Polish finish; inside Sun-ray finish. Imprinted Pure Aluminum.

## Mixing and Handy Bowl Set

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7317-L** | 22 | 1 | 6⅝ | One dozen sets in a shipping container. 13½ lbs. |
| | 22 | 1½ | 7¼ | |
| | 22 | 2 | 8⅛ | |

Polish finish; inside Sun-ray finish. Rounded edges. Each pan imprinted Pure Aluminum.

## Pudding Pan Set

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7117-L** | 22 | 1 | 7¼ | One dozen sets in a shipping container. 15¼ lbs. |
| | 22 | 1½ | 8¼ | |
| | 22 | 2 | 8⅞ | |

Polish finish; inside Sun-ray finish. Each pan imprinted Pure Aluminum.

## Deep Baking Dish

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **4974-L** | 23 | 4½ | 10½ | One in a carton; one dozen in a shipping container. 19 lbs. |

Polish finish. Sturdy, rust-proof handles. Inset cover has steam vent. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Baking Dish

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **4970-L** | 20 | 3 | 9⅜ | One in a carton; one dozen in a shipping container. 16 lbs. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof handles. Sturdy rivets. Imprinted Pure Aluminum and tagged.

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

## Tubed Cake Pan

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **5224-L** | 22 | 9½ | 2¾ | In bulk. |

Polish finish; inside Sun-ray finish. Imprinted Pure Aluminum.



## Tubed Cake Pan—With Loose Bottom

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **5226-L** | 22 | 9½ | 2¾ | In bulk. |

Polish finish; inside Sun-ray finish. Imprinted Pure Aluminum.

## Pie Plate

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **7209-L** | 24 | 8⅞ | 1 | Half dozen in a package. |
| **7210-L** | 24 | 9⅞ | 1 | " |
| **7211-L** | 24 | 10⅞ | 1 | " |

Bright natural finish. Imprinted Pure Aluminum.

## Layer Cake Pan

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **4014-NL** | 28 | 9⅛ | 1 | One dozen in a package. |
| **4015-NL** | 28 | 10 | 1 | " |

Bright natural finish.

**4014-RL** Same as No. 4014-NL, inside Sun-ray finish.
**4015-RL** Same as No. 4015-NL, inside Sun-ray finish.

## Layer Cake Pan—With Loose Bottom

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **4017-L** | 28 | 9⅛ | 1 | One dozen in a package |
| **4018-L** | 28 | 10 | 1 | " |

Bright natural finish.

## Colander

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **8022-L** | 23 | 2 | 8⅞ | One dozen in a shipping container. 8¾ lbs. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof handles and legs. Sturdy rivets. Tag attached.

## Colander

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing and Approximate Shipping Wt. |
|---|---|---|---|---|
| **7025-L** | 22 | 3 | 9¼ | One dozen in a shipping container. 9¾ lbs. |
| **7026-L** | 21 | 5 | 11¼ | 13¾ lbs. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof handles and legs. Sturdy rivets. Tag attached.

## Strainer and Colander

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing |
|---|---|---|---|---|
| **7537-L** | 23 | 1½ | 7⅜ | In bulk. |

Polish finish; inside Sun-ray finish. Sturdy, rust-proof steel handle. Sturdy rivets. Has hook for support when straining. Tag attached.

## Sink Strainer

| No. | B. & S. Gauge | Length In. | Depth In. | Packing |
|---|---|---|---|---|
| **7562-L** | 22 | 9⅜ | 2⅜ | In bulk. |

Polish finish. Bottom has three depressions which form legs.

## Strainer Pan with Bail

| No. | B. & S. Gauge | Cap. Qts. | Depth In. | Packing |
|---|---|---|---|---|
| **5552½-L** | 22 | 2½ | 2¾ | In bulk. |

Polish finish; inside Sun-ray finish. Bail detachable. Can be used with 6 qt. Convex Sauce Pan, Sauce Pot or Kettle to form steamer. Imprinted Pure Aluminum and tagged.

## Wash Basin

| No. | B. & S. Gauge | Diam Top In. | Depth In. | Packing |
|---|---|---|---|---|
| **7726-L** | 22 | 11½ | 3⅛ | In bulk. |
| **7727-L** | 22 | 13¼ | 3⅛ | " |

Bright natural finish. Has hole for hanging. Imprinted Pure Aluminum and tagged.





## Fine Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8330-L** | 16 | 2½ | 1 7/16 | One dozen in a box; 12 boxes in a larger box. |

Polish finish. Imprinted Pure Aluminum.

## Barber Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8425-L** | 16 | 6 11/16 | ⅞ | One dozen in a box; 12 boxes in a larger box. |

Polish finish. Imprinted Pure Aluminum.

## Pocket Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8615-L** | 18 | 3 15/16 | ⅝ | One dozen in a box; 12 boxes in a larger box. |

Polish finish. Each in a black leatherette case. Imprinted Pure Aluminum.

## Pocket Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8625-L** | 18 | 4¼ | ¾ | One dozen in a box; 12 boxes in a larger box. |
| **8665-L** | 18 | 4⅞ | ¾ | " |

Polish finish. Each in a black leatherette case. Imprinted Pure Aluminum.



## Ladies' Dressing Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8925-L** | 14 | 6⅞ | 1 3/16 | One dozen in a box; 12 boxes in a larger box. |

Polish finish. Imprinted Pure Aluminum.

## Ladies' Dressing Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8990-L** | 14 | 7⅜ | 1 7/16 | One dozen in a box; 12 boxes in a larger box. |

Polish finish, embossed. Imprinted Pure Aluminum.



## Gentlemen's Dressing Comb

| No. | B. & S. Gauge | Length In. | Width In. | Packing |
|---|---|---|---|---|
| **8900-L** | 14 | 6⅝ | ⅞ | One dozen in a box; 12 boxes in a larger box. |
| **8910-L** | 14 | 6⅞ | 1 1/16 | " |

Polish finish. Imprinted Pure Aluminum.

TWO LARGE FACTORIES AT TWO RIVERS, WORK IN CLOSE COOPERATION WITH THE MAIN PLANT AT MANITOWOC.




MAIN PLANT, ROLLING MILL AND GENERAL OFFICES AT MANITOWOC, WIS.

STEADY GROWTH HAS MADE NECESSARY THE ERECTION OF THIS NEW SEVEN STORY BUILDING ADJACENT TO THE MAIN PLANT AT MANITOWOC.

### *The Source of Pure Aluminum Quality*

AN expert and enthusiastic factory force, aided by the most efficient modern machinery, insures the quality of Pure Aluminum utensils—from the important first step of rolling the metal to impart extra hardness and toughness, to the final inspection and packing.

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

# Index

**B**

Baking Dishes . . . . . 21
Boilers . . . . . 7

**C**

Cake Pans . . . . . 21
Coffee Biggin . . . . . 9
Coffee Percolators . . . . . 8
Coffee Pots . . . . . 8, 9
Colanders . . . . . 22
Combination Cookers . . . . . 12, 13
Combination Poacher, Steamer and Fry Pan 18
Combination Roasters . . . . . 15, 16, 17
Combs . . . . . 23
Convex Kettles . . . . . 11, 12
Convex Sauce Pans . . . . . 10
Convex Sauce Pots . . . . . 10
Cookers . . . . . 12, 13
Cooking Kettles . . . . . 11
Covers . . . . . 12

**D**

Dairy Pails . . . . . 18
Dinner Pails . . . . . 17
Dish Pans . . . . . 20
Double Boilers . . . . . 7

**F**

Fry Pans . . . . . 18

**K**

Kettles . . . . . 6, 11, 12, 14

**L**

Layer Cake Pans . . . . . 21
Lipped Fry Pans . . . . . 18
Lipped Preserving Kettles . . . . . 11
Lipped Sauce Pans . . . . . 9
Lipped Sauce Pan Sets . . . . . 10
Lipped Stew Pans . . . . . 9
Lipped Stew Pan Set . . . . . 10

**M**

Milk Pails . . . . . 18
Mixing Bowls . . . . . 20
Mixing Bowl Set . . . . . 20

**P**

Pails . . . . . 17, 18
Pans . . . . . 9, 10, 14, 18, 20, 21, 22
Percolators . . . . . 8
Pie Plates . . . . . 21
Pitchers . . . . . 19
Preserving Kettles . . . . . 11
Pudding Pans . . . . . 20
Pudding Pan Set . . . . . 20

**R**

Roasters . . . . . 14, 15, 16, 17

**S**

Sauce Pans . . . . . 9, 10
Sauce Pots . . . . . 10
Skillets . . . . . 18
Sink Strainer . . . . . 22
Steamer . . . . . 20
Stew Pans . . . . . 9
Strainers . . . . . 22
Strainer Kettles . . . . . 14
Strainer Pans . . . . . 14, 22

**T**

Tea Kettles . . . . . 6
Tubed Cake Pans . . . . . 21

**W**

Wash Basins . . . . . 22
Water Pails . . . . . 11
Water Pitchers . . . . . 19
Windsor Kettle . . . . . 14

## Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| **7121-L** | | | | One dozen in a shipping container. |
| (Inset) | 22 | 1 | 4⅛ | |
| (Bottom) | 22 | 1½ | 5⅛ | 13½ lbs. |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Sturdy, rust-proof handles. Extra large bottom vessel to avoid cooking dry. Sturdy rivets. Imprinted Pure Aluminum and tagged.

## Colonial Double Boiler

| No. | B. & S. Gauge | Cap. Qts. | Diam. Bot. In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| **7601-L** | | | | One dozen in a shipping container. |
| (Inset) | 22 | 1 | 4⅛ | |
| (Bottom) | 22 | 1½ | 5⅛ | 13½ lbs. |

Polish finish. Cool, ebonized, wood knob with sunken rivet. Sturdy, rust-proof handles. Extra large bottom vessel to avoid cooking dry. Sturdy rivets. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.

## Convex Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| **7092-L** | 22 | 2 | 7 | One in a carton; one dozen in a shipping container. 14½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Imprinted Pure Aluminum and tagged.

Pat. May 13, 1919.

## Colonial Convex Kettle

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| **7792-L** | 22 | 2 | 7 | One in a carton; one dozen in a shipping container. 14½ lbs. |

Polish finish; inside Sun-ray finish. Cool, ebonized, wood knob with sunken rivet. Inset cover prevents boiling over. Bail-rest ears. Sturdy rivets. Bead upturned on cover. Colonial angles give added strength and beauty. Imprinted Pure Aluminum and tagged.



Pat. May 18, 1920

## Colonial Lipped Sauce Pan Set

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| 7747-L | 22 | 1 | 6 | One dozen sets in a shipping container. 16¼ lbs. |
| | 22 | 1½ | 6⅞ | |
| | 22 | 2 | 7⅜ | |
| 7748-L | 22 | 1 | 6 | In bulk. |
| | 22 | 2 | 7⅜ | |
| | 20 | 3 | 8⅜ | |
| 7749-L | 22 | 1½ | 6⅞ | " |
| | 22 | 2 | 7⅜ | |
| | 20 | 3 | 8⅜ | |

Polish finish; inside Sun-ray finish. Double lipped. Sturdy, rust-proof handles. Sturdy rivets. Colonial angles give added strength and beauty. Each pan imprinted Pure Aluminum and tagged.

Patent Pending.

## Lipped Fry Pan or Skillet

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| 7439-L | 16 | 9 | 2 | One dozen in a shipping container. 11¼ lbs. |
| 7440-L | 14 | 10 | 2⅛ | " 15¼ lbs. |

Polish finish; inside Sun-ray finish. Handle socket riveted. Double lipped. Replaceable handle has metal disc at end to prevent splitting. Non-burning, composition insulator placed between socket and wood handle prevents handle from charring and turning. Direction tag attached. Imprinted Pure Aluminum and tagged.



## Oval Dish Pan

| No. | B. & S. Gauge | Cap. Qts. | Dim. In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| 7920-L | 22 | 10 | 12⅝x17x5 | One dozen in a shipping container. 18 lbs. |

Polish finish. Double riveted, sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.



## Shallow Pudding or Dairy Pan

| No. | B. & S. Gauge | Cap. Qts. | Diam. Top In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| 7591½-L | 22 | 1½ | 9 | One dozen in a shipping container. 5 lbs. |
| 7592-L | 22 | 2 | 9¾ | " 5¼ lbs. |
| 7593-L | 22 | 3 | 11 | " 6½ lbs. |
| 7594-L | 22 | 4 | 12⅛ | " 9 lbs. |
| 7595-L | 22 | 5 | 13 | " 9¾ lbs. |

Polish finish; inside Sun-ray finish. Imprinted Pure Aluminum.



## Baking and Roasting Pan

**Seamless**

| No. | B. & S. Gauge | Top In. | Depth In. | Packing |
|---|---|---|---|---|
| 7514-L | 20 | 10 x13¾ | 2 | In bulk. |
| 7515-L | 20 | 10⅜x14½ | 2 | " |

Bright natural finish. Sturdy, rust-proof handles. Sturdy rivets. Rounded edges and corners. Imprinted Pure Aluminum and tagged.



## Angel Cake Pan

| No. | B. & S. Gauge | Diam. Top In. | Depth In. | Packing |
|---|---|---|---|---|
| 6223-L | 22 | 9½ | 2¾ | In bulk. |

Polish finish; inside Sun-ray finish. Legs project ¾" above top of Cake Pan. Imprinted Pure Aluminum.





## Oval Dish Pan

| No. | B. & S. Gauge | Cap. Qts. | Top In. | Packing & Approximate Shipping Wt. |
|---|---|---|---|---|
| 7820-L | 20 | 10 | 12⅝x17 | One dozen in a shipping container. 22 lbs. |

Polish finish. Double riveted, sturdy, rust-proof handles. Imprinted Pure Aluminum and tagged.

PURE
ALUMINUM

Printed in U. S. A.

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION

RETURN TO
DESIGN DIV.

RETURN TO
DESIGN DIV.

# PURE ALUMINUM
## WARE

PATENT OFFICE
DEC 22 1948
DESIGN DIVISION